

精城特瓷

精城特瓷

文藝防暴專家

03



精城特瓷
JINGCHENG CERAMIC

(特級)

The image shows a 3D simulation of a material transport system. The top half displays a 3D model of a conveyor belt system with various components like rollers, pulleys, and a motor. The bottom half shows a 2D schematic diagram of the same system, with labels for different parts and a legend. The legend includes '物料输送设备' (Material Transport Equipment) and '传送带' (Conveyor Belt). The interface also displays various data points and status indicators.

橡胶性能指标要求

[illegible]



CIGRA ENGINEERING CO., LTD.

超耐磨抗冲击型(WMC-ZTA/ARZ)

适用于输料量大、物料大、冲击力大的设备上作防磨。

产品构造

该产品是用先进的硫化工艺将氧化铝同

超磨抗冲击型

(For extreme wear & impact area)



WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

WMC-ZTA/ARZ

螺柱焊接型(NMC-G)




螺柱焊接型(NMC-G) 100

适用范围

适用于各种规格、各种材质的螺柱焊接型(NMC-G) 100


产品特点

1. 螺柱焊接型(NMC-G) 100 具有强度高、耐腐蚀、使用寿命长等特点。



螺柱焊接型(NMC-G) 100







同等条件下

人人人人人人人人人人人人



湖南精城特种陶瓷有限公司

湖南精城特种陶瓷有限公司
HUNAN KINGCERA ENGINEERING CO.,LTD.
湖南精城特种陶瓷有限公司
HUNAN KINGCERA ENGINEERING CO.,LTD.
湖南精城特种陶瓷有限公司
HUNAN KINGCERA ENGINEERING CO.,LTD.



湖南精城特种陶瓷有限公司
HUNAN KINGCERA ENGINEERING CO.,LTD.

湖南精城特种陶瓷有限公司
HUNAN KINGCERA ENGINEERING CO.,LTD.

